



**Notice of Public Meeting  
Scoping of the Master Environmental Impact Report for the  
Rio Hondo College Master Plan**

The public is invited to participate in a scoping meeting for the Master Environmental Impact Report (EIR) for the Rio Hondo College Master Plan:

EIR Scoping Meeting  
January 24, 2005  
6:30 p.m. to 9:00 p.m.

Administration Building, Board Room (map available at [www.riohondo.edu/planning](http://www.riohondo.edu/planning)).  
Rio Hondo College  
3600 Workman Road  
Whittier, CA 90601

The purpose of the workshop is to give the public an opportunity to comment on the following issues: 1) identify environmental impacts of future campus development that may be significant and need to be analyzed in the EIR, 2) identify those impacts which do not need to be studied, 3) offer ideas to reduce or mitigate environmental impacts, and, 4) suggest plan alternatives which would reduce environmental impacts while meeting most of the objectives of the College. In the workshop Rio Hondo College will describe the Draft Master Plan and the EIR process. The findings of an Initial Study describing environmental issues to be evaluated will be summarized. Following this presentation, the public will be invited to provide comments on the scope of the future EIR.

The Notice of Preparation (NOP) of an EIR 30-day public review period is scheduled to begin on Tuesday, January 4, 2005 and end on Thursday, February 3, 2005. The NOP/Initial Study is available for viewing at the Rio Hondo College Library, at the Whittier Library, and on the Rio Hondo College website: [www.riohondo.edu/planning](http://www.riohondo.edu/planning).

**Contact Person:** Dr. Andy Howard, Director of Planning & Development

**Phone:** (562) 908-3412 **E-mail:** [ahoward@riohondo.edu](mailto:ahoward@riohondo.edu) **Fax:** (562) 463-4649

**Mailing Address:** Rio Hondo College, 3600 Workman Mill Road, Whittier CA, 90601

**Public Information:** Any interested party or their representative may appear at the scoping workshop and comment on the project. Written comments may also be mailed to Rio Hondo College Planning & Development Department. If you challenge this matter in Court, you may be limited to raising those issues you or someone else raised at public workshops and/or hearings, or in written correspondence delivered to the Rio Hondo College at, or prior to, the public hearing.

**ADA:** *In compliance with the American with Disabilities Act (ADA) of 1990, listening assistive devices are available with a 24-hour advance notice. Please contact Dr. Andy Howard to request use of a listening device. Language translation services may be requested with 24-hour advance notice.*

Habra servicio de interpretacion disponible para estas juntas llamando por lo menos con 24 horas de anticipacion.

# RIO HONDO COLLEGE

3600 WORKMAN MILL ROAD  
WHITTIER, CA 90601-1699  
(562) 692-0921 www.riohondo.edu



## DIRECTIONS TO EIR SCOPING MEETING:

Take College Drive (main entrance) to West Road. Turn left on West Road. Park in Lot F.

Take steps up to Administration Building "A." Follow signs to Board Room at end of building on the first floor.

PARKING LOT F

## BUILDING CODES

Class and other locations are abbreviated as follows:

- A Administration
- AG Art Gallery
- AJ Administration of Justice
- B Business
- CI Campus Inn
- CD Child Development Center
- CT Courts (Tennis/Raquetball)
- FC Fitness Center
- G Gymnasium
- HS Health Science
- L Library
- LQ Lower Quad
- M Music
- MN Maintenance
- O Observatory
- PB Information/Parking Booth
- PC Putnam Student Center
- PS Printing Services
- S Science/Math
- SP Swimming Pools
- T Technology
- UQ Upper Quad
- W Wray Theatre
- WH Warehouse

**605 FREEWAY TRAVELING NORTH**  
Exit on Rose Hills Road  
East to Workman Mill Road  
North on Workman Mill Road  
(Follow Signs)

**605 FREEWAY TRAVELING SOUTH**  
Exit on Peck Road  
East on Peck Road  
South on Workman Mill Road  
(Follow Signs)

LOCATION OF EMERGENCY SUPPLIES ▲  
TRAM STOP ●

These paths are NOT recommended for children or disabled persons

