


CENIC College Information

<https://cricket.cenic.org/grapher.cgi?target=/utilization/community-colleges>

rh-cc-1	Rio Hondo CC
rh-cc-2	Rio Hondo CC
rh-elm-cc	Rio Hondo CC ELM
rh-elm-cc-1	Rio Hondo CC - El Monte, rh-elm-cc-1
rh-pcr-cc	Rio Hondo CC - Pico Rivera Education Center
rh-pcr-cc-1	Rio Hondo CCD-Pico Rivera Education Center
rh-sfe-cc	Rio Hondo CCD SFE
rh-sfe-cc-1	Rio Hondo CCD SFE
rh-swt-cc	Rio Hondo CC - South Whittier Education Center
rh-swt-cc-1	Rio Hondo CC - South Whittier Education Center

Main Campus Circuits



El Monte Education Center – El Monte



CENIC Network Statistics

[home](#)
[operations](#)
[contact us](#)

Network Statistics View: [\[utilization/community-colleges/rh-elm-cc-1/xs-0_1_5\]](#)

[Create a TinyURL of this page!](#)

Summary

[dc:core] **1G to rh-elm-cc-xs-0/1/5**

10.0 GBits/s ethernetCsmacd

Values at last update:

Average bits in (for the day):

Cur: 50.06 kbits/sec

Avg: 55.41 kbits/sec

Max: 117.05 kbits/sec

Last updated at Thu Nov 11 15:38:26 2021


Average bits out (for the day):

Cur: 23.66 kbits/sec

Avg: 24.24 kbits/sec

Max: 32.87 kbits/sec

Daily graph



Fire Academy – Santa Fe Springs



CENIC Network Statistics

- [home](#)
- [operations](#)
- [contact us](#)

Network Statistics View: [\[utilization/community-colleges/rh-sfe-cc/xs-0_1_4\]](#)

[Create a TinyURL of this page!](#)

Summary

[dc:core] 1GE to tus-agg8 Te0/0/0/3.391 CLR-16157/17010

10.0 GBits/s ethernetCsmacd

Values at last update:

Average bits in (for the day):

Cur: 1.99 Mbits/sec

Avg: 3.03 Mbits/sec

Max: 32.08 Mbits/sec

Last updated at Thu Nov 11 15:38:26 2021


Average bits out (for the day):

Cur: 327.94 kbits/sec

Avg: 365.65 kbits/sec

Max: 7.48 Mbits/sec

Daily graph



Pico Rivera Education Center – Pico Rivera



CENIC Network Statistics

[home](#)

[operations](#)

[contact us](#)

Network Statistics View: [[utilization/community-colleges/rh-pcr-cc-1/xe-0_1_4](#)]

[Create a TinyURL of this page!](#)

Summary

[dc:core] 1G to RH-ELM-CC-1 xe-0/1/4 CLR-16080

10.0 GBits/s ethernetCsmacd

Values at last update:

Average bits in (for the day):

Cur: 24.16 kbits/sec

Avg: 27.20 kbits/sec

Max: 46.38 kbits/sec

Last updated at Thu Nov 11 15:43:42 2021

Average bits out (for the day):

Cur: 15.94 kbits/sec

Avg: 16.31 kbits/sec

Max: 20.79 kbits/sec

Daily graph



South Whittier Education Center (SWEC) – Santa Fe Springs



CENIC Network Statistics

- [home](#)
- [operations](#)
- [contact us](#)

Network Statistics View: [\[utilization/community-colleges/rh-swt-cc-1/xs-0_1_4\]](#)

[Create a TinyURL of this page!](#)

Summary

[dc:core] 1G to RH-SFE-CC-1 xe-0/1/4 CLR-16077

10.0 GBits/s ethernetCsmacd

Values at last update:

Average bits in (for the day):

Cur: 34.33 kbits/sec

Avg: 57.28 kbits/sec

Max: 227.08 kbits/sec

Last updated at Thu Nov 11 15:43:42 2021

Average bits out (for the day):

Cur: 17.91 kbits/sec

Avg: 90.07 kbits/sec

Max: 1.30 Mbits/sec

Daily graph

